




GLORystAR

E-paper ink screen



WIFI



Battery Operated




Support Cloud Server

Overview

E-paper is a display technology that mimics the effect of traditional paper display, and it is able to keep the image stable without consuming electricity. It is very energy-efficient when displaying still screens. The E-paper offers almost unlimited viewing angles, so you can get a good visual effect from any direction. In addition, the design is relatively thin and light, which is easy to carry.

Display Size	Size	13.3"	31.5"
Module parameters	Display Type	Eink	Eink
	Color	Red, Yellow, Blue, White, Green, Black	Red, Yellow, Blue, White, Green, Black
	Resolution	1600*1200	2560* 1440
	Aspect Ratio	4:3	16:9
	DPI	150	93
	Display Viewing Area(H*V) (mm)	202.8*270.4mm	696.32*391.68mm
System	System	RT OS and Star Control enabled	
I/O	USB2.0	1	1
	4G	Optional	Optional
	WIFI	2.4GHZ WIFI(802.11 b/g/n)	2.4GHZ WIFI(802.11 b/g/n)
	KEY	POWER, UP, DOWN, RESET	POWER, UP, DOWN, RESET
Structure	VESA Mount	100*100mm, fixed M5 screws	200*200mm, fixed M5 screws
	Shell Material	Black Sheet Metal	Black Sheet Metal
Power	Power Adapter	Type-C PD Adapter(Optional)	Type-C PD Adapter(Optional)
	Battery	3.85V/4000MAH 15.4WH	Plugged-in Lithium Battery: 50.4W/H 16.8V/3500MAH
	Working Power(Updating)	≤3W	≤6W
	Standby Power(Non-updating)	≤0.01W	≤0.01W
	Shutdown Power	≤0.001W	≤0.001W
Life Cycle	Updating Times	2700times	900times
	Battery Life	8 months (5 times per day)	6 months (5 times per day)
Update	Update Time	≤15s	15s
	Update Method	Star Control	Star Control
Temperature & Humidity	Storage Temperature	-25°C~60°C	
	Working Temperature	0°C~50°C	
	Humidity	30%~90%	

13.3"



CONTACT US

United States

101 Hudson St., 21st Floor
Jersey City, NJ 07302 USA
[626 228 5927](tel:6262285927)

Hong Kong

Flat D, 5/F, Excelsior Building,
364 Nathan Road,
Kowloon, Hong Kong
[852 23762803](tel:85223762803)

ShenZhen

Bldg. 9, 4/F Zhong Yuntai Technology Industrial
Park, Tangtou No.1 Road, Shiyan Street, Baoan,
ShenZhen, PRC
[86 755 2600 1808](tel:8675526001808)

To find out more about our extensive range of Glory Star solutions, go to www.glorystargroup.com, or call the office nearest you. For more information, please contact us at sales@glorystargroup.com. Glory Star reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. Glory Star, the Glory Star logo, STAR CONTROL and STAROS are either trademarks or registered trademarks of Glory Star Group Limited. All other trademarks are the property of their respective owners.